

Exterior Commercial Hot Rubberized Applied Accessory

ArmorHRA-800 Reinforcing Fabric

Description

Mar-flex ArmorHRA 800 Reinforcing Fabric is a 1.35 oz/sqyd spunbonded polyester, high strength material used to reinforce the Mar-flex HRA membranes in a variety of applications.

In addition, the 800 Reinforcing Fabric exhibits high resistance to splitting and cracking from thermal shock, low temperatures, freeze/thaw cycles, folding/creasing and rough handling. Unlike fiberglass, it is non-irritating to the skin.

Installation:

Install the 800 Reinforcing Fabric while the first layer of the HRA800 is warm and tacky. The fabric shall be applied without wrinkles and broomed to maximize adhesion to the first layer. Edges shall be overlapped a maximum of .5" and spliced with the HRA800 Membrane. The fabric shall be dry and free of dust prior to applying the second layer of the HRA Membrane.

Storage:

Store away from open flames, sparks, and welding. Protect from rain, dust, direct sunlight or other harmful environmental conditions.

Typical Properties

| Property | Method | Typical Value |
|---------------------------|------------|-------------------------|
| Weight oz/yd ² | ASTM D1910 | 1.35 |
| Breaking Strength | ASTM D2523 | 25 |
| Tear Strength lbs. | ASTM D2263 | 8 |
| Flex Life, cycles | ASTM D813 | >100,000 |
| Elongation at Break % | ASTM D2523 | 42 |
| Packaging | | 36"x360'-4 rolls/carton |

Limited Warranty

Mar-flex Waterproofing & Building Products warrants this product to be free of defects in workmanship and materials only at the time of shipment from our factory. If any Mar-flex materials prove to contain manufacturing defects that substantially affect their performance, Mar-flex will, at its option, replace the materials or refund its purchase price. This limited warranty is the only warranty extended by Mar-flex with respect to its materials. There are no other warranties, including the implied warranties or merchantability & fitness for a particular purpose. Mar-flex specifically disclaims liability for any incidental, consequential, or other damages, including but not limited to, loss of profits or damages to a structure or its contents, arising under any theory of law whatsoever. The dollar value of Mar-flex's liability and buyer's remedy under this limited warranty shall not exceed the purchase price of the Mar-flex material in question.

HEALTH AND SAFETY INFORMATION IS GIVEN IN THE SAFETY DATA SHEET AND THE PRODUCT DATA SHEET AVAILABLE FOR THIS PRODUCT. THESE SHOULD BE READ AND UNDERSTOOD BEFORE USING THIS PRODUCT.