





FLUID-APPLIED WATERPROOFING / DAMPPROOFING SYSTEM









drainage board products for unmatched protection

and superior warranties.

ArmorMembrane 363 Waterproofing is a tested and proven solution for commercial waterproofing applications. A water-based or solvent-based spray applied membrane that can be applied to parking garages, bridge decks, plaza decks, foundation and retaining walls.


ArmorBlock 361 WB is a commercial grade heavy bodied emulsion asphalt protective coating used when a VaporBarrier / dampproofing is required.



Foundation Wall



- Creates a seamless membrane
- Effectively coats rough and porous surfaces
- Safe, non-flammable and low ordor
- Seals around fasteners



Product Description:

ArmorMembrane 363

Without an effective waterproofing membrane, no building is safe from damage. ArmorMembrane 363 is a tested and proven solution for commercial waterproofing applications. It's impermeable design prevents water from reaching masonry and other critical building materials, and its permanent elasticity allows the membrane to move with a structure.

Product Application:

ArmorMembrane 363 SB and WB membrane

is ideal for new construction waterproofing of below-grade commercial walls of poured concrete. In addition, it can be used in horizontal applications such as parking garages, bridge decks, and plaza decking as well as retaining wall applications.

Product Description:

ArmorBlock 361

ArmorBlock 361 is a patented coating designed to damp proof and protect concrete and concrete masonry surfaces. It is applied as a water-based asphalt emulsion. It is highly weather resistant, flexible in the cold and resists changing temperatures. Most importantly, the membrane helps prevent water penetration. The durable film of ArmorBlock 361 bonds to most surfaces.

Product Application:

ArmorBlock 361 WB membrane is recommended fordampproofing below-grade basement walls of poured concrete or unit masonry construction. It serves as a vapor retarder on the exterior face of the interior walls of above-grade exterior masonry cavity walls. It excels as a utility coating on posts, pilings and other metal surfaces set into the ground. ArmorBlock 361 WB can be spray, brush or roll applied to any vertical or horizontal surface.



ArmorMembrane 363 and ArmorBlock 361 (See Product Catalog for complete details on ArmorMembrane 363, ArmorBlock 361 and Accessories)

Property	Total Solids	Application Method	Application Range	Elongation @ 70° F (21°C) ASTM D-412 Die C	Total Cure Time	Weight/Gallon	Coverage Rate	Tensile Strength Roll Size	Vertical	Horizontal	Approved Warranty with selected drain boards
363 Solvent	70 - 75%	spray, brush or roller	0° - 150° F	1672% min.	24 hrs.	7.8 lbs.	4.0 - 6.6 gal /100ft²	56.4 psi min	80 mil dry thickness	100 mil dry thickness	up to 10 years
363 Water-	89 eq 60 - 70%	spray, brush or roller	20° - 130° F	1672% min.	24 hrs.	7.6 lbs.	4.0 - 6.6 gal /100ft²	56.4 psi min	80 mil dry thickness	100 mil dry thickness	up to 10 years
361 Block	Vater-Based	spray, brush or roller	20° - 130° F	180% min.	24 hrs.	7.6 lbs.	2 gal. /100 ft.	32 psi min.	-	-	-

DRAINAGE FOR FITTINGS AND ADAPTORS




marflex COMPLETE COMMERCIAL SOLUTION

Mar-flex offers the best commercial waterproofing products in the industry.







A)rmor HRA



ImorSheet







Armor Air Barrier



Prmor Masonry Sealer





Mar-flex® Waterproofing & Building products

We are a family-owned innovative manufacturer of commercial grade, waterproofing foundation and air barrier products. We offer unsurpassed quality and reliability with time tested solutions for the building industry.

Complete waterproofing systems

Mar-flex has set the industry standard for offering superior water-based and solvent-based waterproofing membranes, an extensive "green" product assortment and a wide range of drainage and insulation boards to complete the job based on your market's needs.

Visit our website, www.mar-flex.com/armor for more information:

- Detailed Product Sheets
- Detailed Spec Sheets
- Detailed Application Descriptions
- **Detailed Installation Guides**

Mar-flex Warranty

Mar-flex Waterproofing & Building Products warrants this product to be free of defects in workmanship and materials only at the time of shipment from our factory. If any Armor Series materials prove to contain manufacturing defects that substantially affect their performance, Mar-flex Waterproofing & Building Products will, at its option, replace the materials or refund its purchase price.

This limited warranty is the only warranty extended by Mar-flex Waterproofing & Building Products with respect to its materials. There are no other warranties including the implied warranties of merchantability and fitness for a particular purpose.

Mar-flex Waterproofing & Building Products specifically disclaims liability for any incidental, consequential or other damages including, but not limited to, loss of profits or damages to a structure or its contents arising under any theory of law whatsoever.

The dollar value of Mar-flex's liability and buyer's remedy under this limited warranty shall not exceed the purchase price of the Mar-flex Waterproofing & Building Products material in question.



Try the complete line of Mar-flex products. Bentonite Clay Waterproofing | Self-Adhering Sheet Waterproofing | Fluid-Applied Waterproofing Drainage Mats Fluid-Applied Dampproofing Air & Vapor Barriers Hot-Applied Waterproofing

Foam Insulation Masonry Sealer