



.625 ALUMINUM HEX

PREPARED AND COMBINED BY ENGINEER OR ARCHITECT INDEPENDENT CONSULTING ENGINEERS AND ARCHITECTS 5 STRICTLY PROFESSIONAL 3 STRICTLY PROFESSIONAL		VENT DAMPER TURNBUCKLE	
DRAWING NO. B	PROJECT NO. MW6124	SHEET NO. 7	TOTAL SHEETS 9

124-120	REV	1	12/11/03
124-120	REV	1	12/11/03
124-120	REV	1	12/11/03
124-120	REV	1	12/11/03



- NOTES:
1. SEE SHEET 2 FOR PART DETAILS.
 2. PART TO HAVE A NON-ABRASIVE FINISH.
 3. PART TO HAVE MIN. DRIFT TOLERANCE AS TOOLING REQUIRES.
 4. ALL DIMENSIONS TO BE CONCENTRIC WITHIN .005 UNLESS OTHERWISE SPECIFIED.
 5. ALL DIMENSIONS TO BE .015 MAX R OR CHAMFER OR OTHERWISE NOTED.
 6. ALL DIMENSIONS ARE FINISHED PART DIMENSIONS.

PROFITABILITY AND CREDIT RISK	
REVISIONS TO DRAWING	
DATE	
BY	
REASON	
APPROVED	

ITEM	QTY	DESCRIPTION	MATL
3	1	3/8-16 RIGHT HAND 1/2" BOLT	STEEL/ZINC PLTD
2	1	3/8-16 LEFT HAND 1/2" BOLT	STEEL/ZINC PLTD
1	1	TURNBUCKLE - 82 HEX	ALUMINUM

NATIONWIDE INDUSTRIES

VENT DAMPER TURNBUCKLE ASSEMBLY & DETAILS

NW6124